Leet Township

194 Ambridge Ave. Fair Oaks, PA 15003 Ph: (724) 266-2280 brengers@leettwp.org

Building Permit Application

Date:	Architect/Engineer:	
Applicant Name:		
Address:	Phone:	
	Fax:	
Ph:Fax:	E-Mail:	
E-Mail:		
Property where work is proposed:	Parcel #	
	Parcel #	
New Construct	ion or Alterations	
Proposed construction or alteration (explain in detail)		
Total Square Footage: Basement:	1 st 2 nd	
Total Construction Cost:		
Contractor	• Information	
Contractor Name:		
Address:		
Phone:F	Fax:	
Worker's Compensation Policy No.:	** * <u></u>	
Insurer:		
Expiration No.:		
Note, A permit will not be issued until a copy of the worker's compensation insurance certificate is		
submitted indicating Leet Township as the certificate holder.		
All permits required by the Commonwealth of Pennsylv Occupancy Permits shall be obtained by and are the resp responsible for identification of all utilities prior to exca		
The undersigned hereby acknowledges that the above in and accurate and that the permit requirements have been	formation and attached documents and drawings are true read and understood.	

 Applicant Signature:
 Print
 Date______

 Building Owner's Signature:
 Print
 Date______

 Township Use:
 Date Received______/_____
 Initials_______

 Date Approved:
 /_______
 Date Denied:
 /______

Residential Building Permit Instructions & Checklist

□ Applications and drawings may be submitted online: Email to: brengers@leettwp.org & jleety@leettwp.org

- The Building Permit application has been completed in full and signed by both applicant & owner.
- A survey by a PA registered land surveyor has been submitted with the construction documents. The survey shall indicate the setback distance to every property line. The location of all proposed driveways shall be indicated on the submitted survey.
- All required Zoning Permits and approvals have been obtained from the municipality (attach copies).
- □ All required Plumbing approvals and permits from Allegheny County Health Department
- □ Two (2) copies of scaled and accurate construction drawings have been submitted. See instruction below. Contact PCS for ALL Non-Residential/Commercial project submittals.
- All applicable Highway Occupancy Permits from PennDot shall be obtained (attach copies).
- The attached "Worker's Compensation Affidavit" has been completed.
- The Required Inspections sheet has been read and signed. (Township will identify required inspections)
- All sewer or on-site sewage disposal permit (attach copies).
- Pennsylvania One Call shall be notified prior to any excavation. 1 800 242-1776

Building Permit fees will be assessed and will be required to be paid in full prior to release of Permits. Building Permit fees are imposed to cover the cost of inspections.

^{1.} Residential Plan Review Requirements

Two (2) sets of complete drawings shall be submitted with the Building Permit Application.

□ The required plan review fee shall be submitted with the Building Permit Application payable to PCS: \$150.00 for New Dwellings \$50.00 for Additions decks, pools, accessory structures

- □ The drawings include a typical wall section indicating the following: footer size and reinforcement, foundation wall details including drainage, anchor bolts, floor joist size, framing sizes, header schedule, ceiling joist and roof rafter details, roof covering details & ventilation details.
- Engineered lumber specifications and manufacturers product information
- □ Floor plans for every story including basement.
- □ HVAC details including equipment to be installed.
- General wiring details including smoke detectors and service size.
- A plumbing isometric (attached worksheet) design including drainage size, vent size and location, trap location, cleanout locations and drainage fixture details. All building sewer specifications shall be in accordance with the local sanitary authority.
- □ Window schedules from the window manufacturer indicating sleeping room egress window and habitable basement egress sizes.

Rev 6.14.22

¹ Checklist for Residential applications. Contact PCS (724 449-2662) for commercial review instructions.

Worker's Compensation Affidavit

The applicant for the Building Permit, in compliance with Act 44 of 1993, hereby submits the following Information and Affidavit. One of the following requirements must be marked:

A current *Certificate of Insurance* indicating Worker's Compensation is attached. The certificate must indicate *Leet Township* as the holder.

- The building permit applicant or indicated contractor qualifies as "Exempt from Worker's Compensation. Please indicate the reason for the exemption by checking on of the following and completing the subsequent information:
 - The Contractor/applicant is the owner of the property.
 - Contractor/Applicant is a Sole Proprietor without employees.
 - All of the contractor/applicants employees on the project are exempt on religious grounds under Section 304.2 of the Act. Please explain in detail:
 - Contractor/Applicant is a corporation, and the only employees working on the project have and are qualified as "Executive Employees" under Section 104 of the Act. Explain the status of any/or all workers on the project:

Complete the following:

Name	e of Applicant/Contractor: ss:	
City_	StateZip Code	
1.	Any subcontractors used on this project will be required to carry their own worl compensation coverage.	ker's
2.		
3.		
Signat	ture: Print Name	
Comn	pany:Title:	

Required Inspections Contact Professional Code Services Inc. to schedule inspections 724 449-2661 FX 724 449-2673

The following periodic inspections (marked \checkmark) are required to ensure compliance with the Building Permit you have been issued. All inspections shall be requested no sooner than 48 hours before the inspection is required. A FINAL INSPECTION IS REQUIRED FOR ALL BUILDING PERMITS.

- □ FOOTING INSPECTION: Before placement of concrete. All required re-enforcement in accordance with the approved drawings should be installed. All reinforcement shall be placed in the bottom 1/3 of the footing and shall be suspended on chairs or other approved device. **Re-Bar Grounding Electrode for Electric Service completed.**
- FOUNDATION: (When reinforcement is required) Prior to the placement of all required cell block grouting. All required reinforcement shall be in place. When added to the grout, all aggregate shall be 3/8 inch maximum.
- BACKFILL: Prior to any backfill. Rough framing must be completed. All waterproofing shall be completed. All drains and filter fabric shall be in place. All anchor bolts shall be installed.
- ROUGH ELECTRICAL: All electrical installations shall be installed in accordance with the 2018 IRC and 2017 NEC. Electrical inspections are performed by PCS (724 449-2661).
- **ROUGH PLUMBING:** Allegheny County Health Department
- **ROUGH MECHANICAL:** After the installation of all ductwork, fuel gas piping and flues.
- INSULATION: All required insulation installed in walls including areas to be concealed, prior to wallboard.
- **ROUGH FRAMING:** After all rough electrical and plumbing inspections have been approved prior to insulation.
- □ WALLBOARD: All fasteners installed prior to compound or finish material.
- FINAL ELECTRICAL: Electrical inspections are performed by PCS (724 449-2661).
- □ FINAL PLUMBING: Allegheny County Health Department
- FINAL MECHENICAL: After all equipment and installation of fixtures.
- OCCUPANCY/FINAL INSPECTION: All mechanical inspections shall be completed.
- OTHER : Where in the opinion of the Building Official a special inspection is required.

Work shall not proceed until the above inspections are approved by the Building Official. Failure to obtain any of the above inspections may result in penalties in accordance with the UCC Act 45 & local ordinance.

Signature:	_Print;	_Date:
•		

Rev 6.14.22


Energy Efficiency Data Sheet

<u>The following information must be submitted with the construction documents OR a valid Recheck shall be</u> <u>submitted.</u> The following information must be clearly indicated on the construction document (ceiling, floor, wall assemblies only). Mechanical equipment must be identified, located and labeled on the construction documents. A dimensional section drawing shall be submitted for all insulated floor slabs. <u>ResCheck energy</u> <u>software is available at www.energycodes.gov</u>

1.	Ceiling Framing Type
2.	Ceiling Insulation TypeR-Value
3.	Skylight Frame Material: Metal Frame 🗆 Metal Frame With Thermal Break 🗆
	Wood Frame Vinyl Frame Other
4.	Skylight U-Factor Skylight sq.ft. Single
	Pane Double Pane Double Pane-Low E Triple Pane Triple Pane Low-E
5.	Wall construction
6.	Gross sq.ft. of Wall space
7.	Wall Cavity Insulation R-Value Continuous Insulation R-Value
8.	Window Frame Material Metal Frame Metal Frame With Thermal Break
	Wood Frame Vinyl Frame Other
9.	Gross sq.ft. of Window openings
10.	Gross sq.ft. of Window openingsDoubleWindows; Enter information on the poorest window efficiency in the building: Single PaneDouble
	Pane Double Pane-Low E Triple Pane Triple Pane Low-E
	*Each window must be identified separately or number of each type. Attach schedule
11.	Doors: 1. Solid (under 50% glazing) Glass U-FactorR-ValueSq.ft
	2. Solid (under 50% glazing) Glass U-FactorR-ValueSq.ft
	3. Solid (under 50% glazing) Glass U-FactorR-ValueSq.ft
	4. Solid (under 50% glazing) Glass U-FactorR-ValueSq.ft
	5. Solid (under 50% glazing) Glass U-FactorR-ValueSq.ft
12.	Basement Wall TypeGross sq.ft. AreaInsulation R-Value
	Measured in feet; (ie 7.5')
	Wall Height (top of wall to basement floor)
	Depth below grade (finish outside grade to basement floor
	Height of insulation (top of wall to where insulation stops)
13.	Floor Assembly;
	\blacktriangleright Wood Assembly; Over un-conditioned space \Box Over outside air \Box
	Gross Area Cavity R-Value Continuous Insulation R-Value
	Slab on Grade; Unheated Heated Heated
	Gross Area Cavity R-Value Continuous Insulation R-Value
	➢ Structural Insulated Panels; Over un-conditioned space □ Over outside air □
	Gross Area Cavity R-Value Continuous Insulation R-Value
14.	Crawl Space Wall TypeGross sq.ft. Area
	Measured in feet; (ie 7.5')
	Wall Height (top of wall to basement floor)
	Depth below grade (finish outside grade to basement floor
	Height of insulation (top of wall to where insulation stops)
15.	Heating Equipment; Where more than (1) unit, use least efficient data
	Furnace Heating Efficiency%
	Boiler Heating Efficiency%
	Heat Pump Heating Efficiency%

Air Conditioner Cooling Efficiency ______SEER

Provide Information for New Electrical Service Work



Overhead or Underground

* (2 8' ground rods 6' feet apart)